

UNIVERSAL BENCH TYPE COLLISION REPAIR SYSTEM

MODEL - PBB-PL15



SALIENT FEATURES

- Proven Technology Bench on Scissors type Collision Repair System
- Slim Frame; Thickness only 115mm with lift
- Drive-over bench Fastest mounting time
- Bench frame equipped with arms to lift vehicle without clamping
- Puller equiped with down-pull facility
- Puller: both movements in horizontal directions
- Lift equiped with remote and additional controller on control panel
- Supplied with standard set of pulling clamps



Compact and robust high lifting table lift, with great pulling force, Dozer with 10T ram and compatible with Electronic Measuring Systems

FAST AND EASY "VEHICLE SET-UP"



115 mm Minimum thickness of frame with



Fast and easy vehicle setup



Lifting of the car to the appropriate height by means of the arms and adjustable supports 1700 mm- Maximum lifting height of table



Robust holding of vehicle on Bench with Strong Siel Clamps and Easy approarch for repair from all sides

THE PERFECT CHOICE FOR "FAST REPAIR"



FAST CLAMPING



ATTACHMENT OF PULLER

STATE OF ART DOZER WITH 10 TON PULLING CAPACITY



Dozer arm with 2 articulations and 2 sets of holes

The mounting of the articulated puller is quick and can be attached anywhere around the bench





The Dozer can be positioned all around the vehicle Dozer positionnable at 360° with down pull facility

TECHNICAL SPECIFICATIONS

Lifting Capacity	3000 Kg.
Lifting Time	55 Sec.
Lowering Time	50 Sec.
Total Weight	1370 kg
Noise Level	70 dB(A)/1m
DIMENSIONS	
Length of Frame	3700 mm
Width of Frame	770 mm
Maximum Height	1700 mm
Minimum Height	115 mm


ELECTRICAL SPECIFICATIONS

MOTOR

3,0 Kw
3ph. 230-400V trif.+/-5%
50 Hz
230V : 13,6 A
400V : 7,8 A
3
1380 rpm

www.precisionworld.net

COMPOSITION **OPTIONS**




1. Bench on Lift 2. Pulling Chain 10 T, 3. Vertical Support Assembly, 4. Power Unit, 5. Wheel Pallets, 6. Dozer, 7. Hydraulic Cylinder 10T, 8. Hydraulic Pump, 9. Mounting Arms 10. Dozer Extension 11. Safety Cable



Tool Hanging Board, 2. Pull Strap -10T, 3. Chain Shortner, 4. Multi Hole Pull Plate, 5. Universal Pull Clamp, 6. Universal MC Pherson Strut Pulling Kit , 7. Pulling Clamp Right Angle, 8. Pulling Clamp 10T.

SPACE REQUIREMENT



Specifications subject to change without notice

PRECISION TESTING MACHINES PVT. LTD.

HEAD OFFICE: S-12, Okhla Industrial Area, Phase - II, New Delhi - 110 020 (India)

Tel.: 011-4161-0000 (4 lines), 2638-6612 Fax: 011-26383790

E-mail: sales@precisionworld.net / service@precisionworld.net / www.precisionworld.net



STORE TO BUY GENUINE PRECISION LIGHT EQUIPMENT & CONSUMABLES

^{**} Images shown are for representation purpose only. Accessories & features shown in the picture may not be part of the standard equipment